

MC NYLON

MC901 Plates

Widths×Lengths mm	600×1200	1000×1000	1000×2000
Thicknesses mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
5	4.2	5.8	11.6
7	5.8	8.1	16.2
10	8.4	11.6	23.2
12	10.0	13.9	27.8
15	12.5	17.4	34.8
20	16.7	23.2	46.4
25	20.9	29.0	58.0
30	25.1	34.8	69.6
35	29.2	40.6	81.2
40	33.4	46.4	92.8
45	37.6	52.2	104.4
50	41.8	58.0	116.0
60	50.1	69.6	
70	58.5	81.2	
80	66.8	92.8	
90	75.2	104.4	
100	83.5	116.0	
110	91.9		
120	100.2		
130	108.6		
140	116.9		

Widths×Lengths mm	600×600
Thicknesses mm	Weights kg/pc.
150	62.6

Thicknesses mm	Tolerances on the thicknesses mm
5 - 20	0 +1.0
25 - 45	0 +1.5
50 - 140	0 +3.0
150	0 +15.0
Widths mm	Tolerances on the widths mm
600 , 1000	0 +15.0
Lengths mm	Tolerances on the lengths mm
1000 , 1200 , 2000	0 +20.0

MC NYLON

MC901 Round Rods

Lengths mm	500	1000	300
Diameters mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
20	0.2	0.4	-
25	0.3	0.6	-
30	0.4	0.8	-
35	0.6	1.1	-
40	0.7	1.5	-
45	0.9	1.8	-
50	1.1	2.3	-
55	1.4	2.8	-
60	1.6	3.3	-
65	1.9	3.8	-
70	2.2	4.5	-
75	2.6	5.1	-
80	2.9	5.8	-
85	3.3	6.6	-
90	3.7	7.4	-
95	4.1	8.2	-
100	4.6	9.1	-
110	5.5	11.0	-
120	6.6	13.1	-
130	7.7	15.4	-
140	8.9	17.8	-
150	10.2	20.5	6.1
160	11.7	23.3	7.0
170	13.2	26.3	-
180	14.8	29.5	8.9
190	16.4	32.9	-
200	18.2	36.4	10.9
225	23.0	-	13.8
250	28.5	-	17.1
275	34.4	-	20.7
300	41.0	-	24.6
325	48.1	-	28.9
350	55.8	-	33.5
375	64.0	-	38.4
400	72.8	-	43.7
450	92.2	-	55.3
500	-	-	68.3
600	-	-	98.3

Diameters×Lengths mm	Weights kg/pc.
500× 50	11.4
600× 50	16.4
700×200	89.2
700× 50	22.3
800×150	87.4
800× 50	29.1
900×100	73.8
900× 30	22.1
1000×100	91.1
1000× 30	27.3

Diameters mm	Tolerances on the diameters mm
20 - 35	+0.1 +1.0
40 - 50	+0.1 +3.0
55 - 140	+0.1 +4.0
150 - 250	+0.1 +5.0
Lengths mm	Tolerances on the lengths mm
300 , 500 , 1000	+1.0 +15.0

Diameters : $\geq 275\text{mm}$ ×Lengths : 500mm

Diameters mm	Tolerances on the diameters mm
275 - 350	+0.1 +8.0
375 - 400	+0.1 +15.0
Lengths mm	Tolerances on the lengths mm
500	+1.0 +15.0

Diameters : $\geq 275\text{mm}$ ×Lengths : 300mm

Diameters mm	Tolerances on the diameters mm
275 - 300	+0.1 +5.0
325 - 400	+0.1 +8.0
450 - 600	+0.1 +10.0
Lengths mm	Tolerances on the lengths mm
300	+1.0 +15.0

Diameters mm	Tolerances on the diameters mm
500 - 600	+0.1 +10.0
700 - 1000	+0.1 +15.0
Lengths mm	Tolerances on the lengths mm
30 - 200	+0.1 +15.0

Black numbers : Standard item
Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC901 Tubes

Lengths mm	350	1100	50
O.D.×I.D. mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
30× 15	0.2	-	-
40× 20	0.4	-	-
50× 25	0.6	-	-
55× 30	0.7	-	-
60× 25	0.9	-	-
65× 40	0.8	-	-
70× 25	1.4	-	-
70× 45	0.9	-	-
75× 50	1.0	-	-
80× 30	1.8	-	-
80× 55	1.1	-	-
90× 40	2.1	-	-
90× 65	1.2	-	-
100× 50	2.4	7.5	-
100× 75	1.4	4.4	-
110× 60	2.7	-	-
120× 70	3.0	-	-
125× 75	3.2	10.0	-
125×100	1.8	-	-
130× 80	3.3	-	-
140× 90	3.7	-	-
150× 75	-	16.9	-
150×100	4.0	12.5	-
150×125	2.2	-	-
165×115	4.5	-	-
175× 90	-	22.6	-
175×100	6.6	-	-
175×125	4.8	15.0	-
190× 95	-	27.1	-

O.D. mm	Tolerances on the O.D. mm
30	+0.1 +2.0
40 - 50	+0.1 +3.0
55 - 175	+0.1 +5.0
200 - 400	+0.1 +8.0
450 - 1000	+0.1 +15.0
I.D. mm	Tolerances on the I.D. mm
15 - 125	-6.0 -1.0
150 - 200	-12.0 -1.0
225 - 600	-15.0 -1.0
700 - 800	-20.0 -1.0
Lengths mm	Tolerances on the lengths mm
50 , 300 , 350	+1.0 +20.0

Black numbers : Standard item
Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC901 Tubes * Length : 300mm

Lengths mm	350	1100	50
O.D.×I.D. mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
200×100	-	30.0	-
200×150	5.6	17.5	-
210×105	-	33.1	-
225×115	-	37.5	-
225×175	6.4	-	-
250×125	-	47.0	-
250×200	7.2	22.5	-
275×140	-	56.1	-
275×225	8.0	-	-
300×150	-	67.6	-
300×250	8.8	27.5	-
325×165	-	78.5	-
350×175	-	92.0	-
350×300	10.4	32.6	-
400×200	-	120.2	-
400×350	12.0	37.6	-
450×250	44.6	-	6.4
500×300	51.0	-	7.3
500×450	-	47.6	-
600×400	63.7	-	9.1
600×550	-	57.6	-
700×500	76.5	-	10.9
800×600	89.2	-	12.7
900×700	87.4*	-	14.6
1000×800	98.3*	-	16.4

Lengths : 1100mm

O.D. mm	Tolerances on the O.D. mm
100 - 125	+0.1 +4.0
150 - 350	+0.1 +5.0
400 - 600	+0.1 +15.0
I.D. mm	Tolerances on the I.D. mm
50 - 125	-6.0 -1.0
140 - 175	-12.0 -1.0
200 - 550	-15.0 -1.0
Lengths mm	Tolerances on the lengths mm
1100	+1.0 +30.0

MC NYLON

MC900NC Plates

Widths×Lengths mm	600×1200	1000×1000	1000×2000
Thicknesses mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
5	4.2	5.8	11.6
7	5.8	8.1	16.2
10	8.4	11.6	23.2
12	10.0	13.9	27.8
15	12.5	17.4	34.8
20	16.7	23.2	46.4
25	20.9	29.0	58.0
30	25.1	34.8	69.6
35	29.2	40.6	81.2
40	33.4	46.4	92.8
45	37.6	52.2	104.4
50	41.8	58.0	116.0
60	50.1	69.6	
70	58.5	81.2	
80	66.8	92.8	
90	75.2	104.4	
100	83.5	116.0	
110	91.9		
120	100.2		

Thicknesses mm	Tolerances on the thicknesses mm
5 - 20	0 +1.0
25 - 45	0 +1.5
50 - 120	0 +3.0
Widths mm	Tolerances on the widths mm
600 , 1000	0 +15.0
Lengths mm	Tolerances on the lengths mm
1000 , 1200 , 2000	0 +20.0

Black numbers : Standard item
 Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC900NC Round Rods

Lengths mm	500	1000	300
Diameters mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
20	0.2	0.4	-
25	0.3	0.6	-
30	0.4	0.8	-
35	0.6	1.1	-
40	0.7	1.5	-
45	0.9	1.8	-
50	1.1	2.3	-
55	1.4	2.8	-
60	1.6	3.3	-
65	1.9	3.8	-
70	2.2	4.5	-
75	2.6	5.1	-
80	2.9	5.8	-
85	3.3	6.6	-
90	3.7	7.4	-
95	4.1	8.2	-
100	4.6	9.1	-
110	5.5	11.0	-
120	6.6	13.1	-
130	7.7	15.4	-
140	8.9	17.8	-
150	10.2	20.5	6.1
160	11.7	23.3	7.0
170	13.2	26.3	-
180	14.8	29.5	8.9
190	16.4	32.9	-
200	18.2	36.4	10.9
225	23.0	-	13.8
250	28.5	-	17.1
275	34.4	-	20.7
300	41.0	-	24.6
325	48.1	-	28.9
350	55.8	-	33.5
375	64.0	-	38.4
400	72.8	-	43.7
450	92.2	-	-

Diameters mm	Tolerances on the diameters mm
20 - 35	+0.1 +1.0
40 - 50	+0.1 +3.0
55 - 140	+0.1 +4.0
150 - 250	+0.1 +5.0
Lengths mm	Tolerances on the lengths mm
300 , 500 , 1000	+1.0 +15.0

Diameters : $\geq 275\text{mm}$ × Lengths : 500mm

Diameters mm	Tolerances on the diameters mm
275 - 350	+0.1 +8.0
375 - 400	+0.1 +15.0
Lengths mm	Tolerances on the lengths mm
500	+1.0 +15.0

Diameters : $\geq 275\text{mm}$ × Lengths : 300mm

Diameters mm	Tolerances on the diameters mm
275 - 300	+0.1 +5.0
325 - 400	+0.1 +8.0
Lengths mm	Tolerances on the lengths mm
300	+1.0 +15.0

Black numbers : Standard item
Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC801 Plates

Widths×Lengths mm	600×1200	1000×1000	1000×2000
Thicknesses mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
5	4.2	5.8	11.6
7	5.8	8.1	16.2
10	8.4	11.6	23.2
12	10.0	13.9	27.8
15	12.5	17.4	34.8
20	16.7	23.2	46.4
25	20.9	29.0	58.0
30	25.1	34.8	69.6
35	29.2	40.6	81.2
40	33.4	46.4	92.8
45	37.6	52.2	104.4
50	41.8	58.0	116.0
60	50.1	69.6	
70	58.5	81.2	
80	66.8	92.8	
90	75.2	104.4	
100	83.5	116.0	

Thicknesses mm	Tolerances on the thicknesses mm
5 - 20	0 +1.0
25 - 45	0 +1.5
50 - 100	0 +3.0
Widths mm	Tolerances on the widths mm
600 , 1000	0 +15.0
Lengths mm	Tolerances on the lengths mm
1000 , 1200 , 2000	0 +20.0

MC NYLON

MC801 Round Rods

Lengths mm	500	1000	300
Diameters mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
20	0.2	0.4	-
25	0.3	0.6	-
30	0.4	0.8	-
35	0.6	1.1	-
40	0.7	1.5	-
45	0.9	1.8	-
50	1.1	2.3	-
55	1.4	2.8	-
60	1.6	3.3	-
65	1.9	3.8	-
70	2.2	4.5	-
75	2.6	5.1	-
80	2.9	5.8	-
85	3.3	6.6	-
90	3.7	7.4	-
95	4.1	8.2	-
100	4.6	9.1	-
110	5.5	11.0	-
120	6.6	13.1	-
130	7.7	15.4	-
140	8.9	17.8	-
150	10.2	20.5	6.1
160	11.7	23.3	7.0
170	13.2	-	-
180	14.8	29.5	8.9
190	16.4	-	-
200	18.2	36.4	10.9
225	23.0	-	13.8
250	28.5	-	17.1
275	34.4	-	20.7
300	41.0	-	24.6
325	48.1	-	28.9
350	55.8	-	33.5
375	64.0	-	38.4
400	72.8	-	43.7
450	92.2	-	55.3
500	-	-	68.3
600	-	-	98.3

Diameters×Lengths mm	Weights kg/pc.
500× 50	11.4
600× 50	16.4
700×200	89.2
700× 50	22.3
800×150	87.4
800× 50	29.1
900×100	73.8
900× 30	22.1
1000×100	91.1
1000× 30	27.3

Diameters mm	Tolerances on the diameters mm
20 - 35	+0.1 +1.0
40 - 50	+0.1 +3.0
55 - 140	+0.1 +4.0
150 - 250	+0.1 +5.0
Lengths mm	Tolerances on the lengths mm
300 , 500 , 1000	+1.0 +15.0

Diameters : $\geq 275\text{mm}$ ×Lengths : 500mm

Diameters mm	Tolerances on the diameters mm
275 - 350	+0.1 +8.0
375 - 400	+0.1 +15.0
Lengths mm	Tolerances on the lengths mm
500	+1.0 +15.0

Diameters : $\geq 275\text{mm}$ ×Lengths : 300mm

Diameters mm	Tolerances on the diameters mm
275 - 300	+0.1 +5.0
325 - 400	+0.1 +8.0
450 - 600	+0.1 +10.0
Lengths mm	Tolerances on the lengths mm
300	+1.0 +15.0

Diameters mm	Tolerances on the diameters mm
500 - 600	+0.1 +10.0
700 - 1000	+0.1 +15.0
Lengths mm	Tolerances on the lengths mm
30 - 200	+0.1 +15.0

Black numberds : Standard item
Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC801 Tubes

Lengths mm	350	1100	50
O.D.×I.D. mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
30× 15	0.2	-	-
40× 20	0.4	-	-
50× 25	0.6	-	-
55× 30	0.7	-	-
60× 25	0.9	-	-
65× 40	0.8	-	-
70× 25	1.4	-	-
70× 45	0.9	-	-
75× 50	1.0	-	-
80× 30	1.8	-	-
80× 55	1.1	-	-
90× 40	2.1	-	-
90× 65	1.2	-	-
100× 50	2.4	7.5	-
100× 75	1.4	4.4	-
110× 60	2.7	-	-
120× 70	3.0	-	-
125× 75	3.2	10.0	-
125×100	1.8	-	-
130× 80	3.3	-	-
140× 90	3.7	-	-
150× 75	-	16.9	-
150×100	4.0	12.5	-
150×125	2.2	-	-
165×115	4.5	-	-
175× 90	-	22.6	-
175×100	6.6	-	-
175×125	4.8	15.0	-

O.D. mm	Tolerances on the O.D. mm
30	+0.3 +2.0
40 - 90	+0.4 +3.0
100 - 175	+0.5 +5.0
200 - 400	+0.5 +8.0
450 - 1000	+0.5 +15.0
I.D. mm	Tolerances on the I.D. mm
15 - 125	-6.0 -1.0
150 - 200	-12.0 -1.0
225 - 600	-15.0 -1.0
700 - 800	-20.0 -1.0
Lengths mm	Tolerances on the lengths mm
50 - 350	+1.0 +20.0

Black numberds : Standard item
Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC801 Tubes * Length : 300mm

Lengths mm	350	1100	50
O.D.×I.D. mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
190× 95	-	27.1	-
200×100	-	30.0	-
200×150	5.6	17.5	-
210×105	-	33.1	-
225×115	-	37.5	-
225×175	6.4	-	-
250×125	-	47.0	-
250×200	7.2	22.5	-
275×140	-	56.1	-
275×225	8.0	-	-
300×150	-	67.6	-
300×250	8.8	27.5	-
325×165	-	78.5	-
350×175	-	92.0	-
350×300	10.4	32.6	-
400×200	-	120.2	-
400×350	12.0	37.6	-
450×250	44.6	-	6.4
500×300	51.0	-	7.3
500×450	-	47.6	-
600×400	63.7	-	9.1
600×550	-	57.6	-
700×500	76.5	-	10.9
800×600	89.2	-	12.7
900×700	87.4 *	-	14.6
1000×800	98.3 *	-	16.4

Lengths : 1100mm

O.D. mm	Tolerances on the O.D. mm
100 - 125	+0.1 +4.0
150 - 350	+0.1 +5.0
400 - 600	+0.1 +15.0
I.D. mm	Tolerances on the I.D. mm
50 - 125	-6.0 -1.0
140 - 175	-12.0 -1.0
200 - 550	-15.0 -1.0
Lengths mm	Tolerances on the lengths mm
1100	+1.0 +30.0

MC NYLON

MC928-IR Plates

Widths×Lengths mm	600×1200
Thicknesses mm	Weights kg/pc.
20	16.6
25	20.7
30	24.8

Thicknesses mm	Tolerances on the thicknesses mm
20	0 +1.0
25 - 30	0 +1.5
Widths mm	Tolerances on the widths mm
600	0 +15.0
Lengths mm	Tolerances on the lengths mm
1200	0 +20.0

MC928-IR Round Rods

Lengths mm	500
Diameters mm	Weights kg/pc.
70	2.2
80	2.9
90	3.7
100	4.5
110	5.5
120	6.5
130	7.7

Diameters mm	Tolerances on the diameters mm
70 - 130	+0.1 +4.0
Lengths mm	Tolerances on the lengths mm
1000	+1.0 +15.0

MC NYLON

MC703HL Plates

Widths×Lengths mm	600×1200
Thicknesses mm	Weights kg/pc.
5	4.0
7	5.6
10	8.0
12	9.6
15	12.0
20	16.0
25	20.0
30	24.0
35	28.0
40	32.0
45	36.0
50	40.0

Thicknesses mm	Tolerances on the thicknesses mm
5 - 20	0 +1.0
25 - 45	0 +1.5
50	0 +3.0
Widths mm	Tolerances on the widths mm
600	0 +15.0
Lengths mm	Tolerances on the lengths mm
1200	0 +20.0

MC703HL Round Rods

Lengths mm	500
Diameters mm	Weights kg/pc.
20	0.2
25	0.3
30	0.4
35	0.5
40	0.7
45	0.9
50	1.1

Diameters mm	Tolerances on the diameters mm
20 - 35	+0.1 +1.0
40 - 50	+0.1 +3.0
Lengths mm	Tolerances on the lengths mm
500	+1.0 +15.0

Black numbers : Standard item
Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC703HL Tubes

Lengths mm	350	300	500
O.D.×I.D. mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
50× 25	-	-	0.8
55× 25	-	-	1.1
60× 25	-	-	1.3
65× 25	-	-	1.6
70× 25	-	-	1.9
75× 30	-	-	2.1
80× 30	-	-	2.4
90× 30	-	-	3.1
100× 30	-	-	4.0
110× 35	-	-	4.7
120× 35	-	-	5.7
130× 35	-	-	6.8
140× 40	-	-	7.8
150× 40	-	5.5	
160× 40	-	6.3	
175×100	6.3	-	
175×125	4.6	-	
180× 40	-	8.1	
200× 40	-	10.0	
200×150	5.3	-	
225× 50	-	12.6	
225×175	6.1	-	
250× 50	-	15.7	
250×200	6.9	-	
275× 50	-	19.1	
275×225	7.6	-	
300× 50	-	22.9	
300×250	8.4	-	
350× 50	-	31.4	
350×300	9.9	-	
400×350	11.4	-	

O.D. mm	Tolerances on the O.D. mm
50 - 140	+0.1 +4.0
150 - 400	+0.1 +5.0
I.D. mm	Tolerances on the I.D. mm
25 - 350	-6.0 -1.0
Lengths mm	Tolerances on the lengths mm
300 , 350 , 500	+1.0 +15.0

Black numbers : Standard item
Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC602ST Plates

Widths×Lengths mm	600×1200
Thicknesses mm	Weights kg/pc.
5	4.4
7	6.2
10	8.9
12	10.6
15	13.3
20	17.7
25	22.1
30	26.6
35	31.0
40	35.4
45	39.9
50	44.3

Thicknesses mm	Tolerances on the thicknesses mm
5 - 20	0 +1.0
25 - 45	0 +1.5
50	0 +3.0
Widths mm	Tolerances on the widths mm
600	0 +15.0
Lengths mm	Tolerances on the lengths mm
1200	0 +20.0

MC602ST Round Rods

Lengths mm	500
Diameters mm	Weights kg/pc.
50	1.2
55	1.5
60	1.7
65	2.0
70	2.4
75	2.7
80	3.1
90	3.9
100	4.8
110	5.8
120	7.0
130	8.2
140	9.5
150	10.9
160	12.4
180	15.6
200	19.3

Diameters mm	Tolerances on the diameters mm
50	+0.1 +3.0
55 - 140	+0.1 +4.0
150 - 200	+0.1 +5.0
Lengths mm	Tolerances on the lengths mm
500	+1.0 +15.0

*Black numbers : Standard item
 *Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC501CDR2 Plates

Widths×Lengths mm	600×1200
Thicknesses mm	Weights kg/pc.
5	4.3
7	6.0
10	8.6
12	10.4
15	13.0
20	17.3
25	21.6
30	25.9
35	30.2
40	34.6
45	38.9
50	43.2

Thicknesses mm	Tolerances on the thicknesses mm
5 - 20	0 +1.0
25 - 45	0 +1.5
50	0 +3.0
Widths mm	Tolerances on the widths mm
600	0 +15.0
Lengths mm	Tolerances on the lengths mm
1200	0 +20.0

MC501CDR2 Round Rods

Lengths mm	200	500	1000
Diameters mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
10	-	0.05	0.1
15	-	0.1	0.2
20	-	0.2	0.4
25	-	0.3	0.6
30	-	0.4	0.8
35	-	0.6	1.2
40	-	0.8	1.5
45	-	1.0	1.9
50	-	1.2	2.4
60	0.7		
70	0.9		
80	1.2		
90	1.5		
100	1.9		
110	2.3		
120	2.7		
130	3.2		
140	3.7		
150	4.2		

Diameters mm	Tolerances on the diameters mm
10 - 35	+0.1 +1.0
40 - 50	+0.1 +3.0
60 - 140	+0.1 +4.0
150	+0.1 +5.0
Lengths mm	Tolerances on the lengths mm
200 , 500 , 1000	+1.0 +15.0

Black numbers : Standard item
Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC501CDR6 Plates

Widths×Lengths mm	600×1200
Thicknesses mm	Weights kg/pc.
5	4.4
7	6.2
10	8.9
12	10.6
15	13.3
20	17.7
25	22.1
30	26.6
35	31.0
40	35.4
45	39.9
50	44.3

Thicknesses mm	Tolerances on the thicknesses mm
5 - 20	0 +1.0
25 - 45	0 +1.5
50	0 +3.0
Widths mm	Tolerances on the widths mm
600	0 +15.0
Lengths mm	Tolerances on the lengths mm
1200	0 +20.0

MC501CDR6 Round Rods

Lengths mm	500	1000
Diameters mm	Weights kg/pc.	Weights kg/pc.
10	0.05	0.1
15	0.1	0.2
20	0.2	0.4
25	0.3	0.6
30	0.4	0.8
35	0.6	1.2
40	0.8	1.5
45	1.0	1.9
50	1.2	2.4

Diameters mm	Tolerances on the diameters mm
10 - 35	+0.1 +1.0
40 - 50	+0.1 +3.0
Lengths mm	Tolerances on the lengths mm
500 , 1000	+1.0 +15.0

Black numbers : Standard item
Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC501CDR9 Plates

Widths×Lengths mm	600×1200
Thicknesses mm	Weights kg/pc.
10	8.6
12	10.3
15	12.9
20	17.1
25	21.4

Thicknesses mm	Tolerances on the thicknesses mm
10 - 20	0 +1.0
25	0 +1.5
Widths mm	Tolerances on the widths mm
600	0 +15.0
Lengths mm	Tolerances on the lengths mm
1200	0 +20.0

MC501CDR9 Round Rods

Lengths mm	200
Diameters mm	Weights kg/pc.
60	0.7
70	0.9
80	1.2
90	1.5
100	1.9
110	2.3
120	2.7
130	3.2
140	3.7
150	4.2

Diameters mm	Tolerances on the diameters mm
60 - 140	+0.1 +4.0
150	+0.1 +5.0
Lengths mm	Tolerances on the lengths mm
200	+1.0 +15.0

Black numbers : Standard item
 Blue numbers : Non-standard item
 - : Not manufactured

MC NYLON

MC500ASR11 Plates

Widths×Lengths mm	600×1200
Thicknesses mm	Weights kg/pc.
5	4.2
7	5.7
10	8.3
12	9.9
15	12.4
20	16.5
25	20.7
30	24.9
35	28.9
40	33.1
45	37.3
50	41.4

Thicknesses mm	Tolerances on the thicknesses mm
5 - 20	0 +1.0
25 - 45	0 +1.5
50	0 +3.0
Widths mm	Tolerances on the widths mm
600	0 +15.0
Lengths mm	Tolerances on the lengths mm
1200	0 +20.0

MC500ASR11 Round Rods

Lengths mm	200	500	1000
Diameters mm	Weights kg/pc.	Weights kg/pc.	Weights kg/pc.
10	-	0.05	0.09
15	-	0.1	0.2
20	-	0.2	0.4
25	-	0.3	0.6
30	-	0.4	0.8
35	-	0.6	1.1
40	-	0.7	1.5
45	-	0.9	1.8
50	-	1.1	2.3
60	0.7		
70	0.9		
80	1.2		
90	1.5		
100	1.8		
110	2.2		
120	2.6		
130	3.1		
140	3.5		
150	4.1		

Diameters mm	Tolerances on the diameters mm
10 - 35	+0.1 +1.0
40 - 50	+0.1 +3.0
60 - 140	+0.1 +4.0
150	+0.1 +5.0
Lengths mm	Tolerances on the lengths mm
200 , 500 , 1000	+1.0 +15.0

Black numbers : Standard item
Blue numbers : Non-standard item
 - : Not manufactured